STEELLAM

TECHNICAL SPECIFICATION _____

No.	Properties	Unit	Specified Value	Typical
			BSEN438	SteelLam Value
1.	Thickness	mm	0.8 ± 10%	0.8 ± 10%
2.	Resistance to immersion in boiling water a. Mass increase b. Thickness increase c. Appearance	%, Max. %, Max. Grade, Min.	10 12 4	7.5 8.5 4
3.	Resistance to surface wear	Rev. Min.	350	380
4.	Resistance to dry heat at 180°C a. Appearance : Gloss b. Appearance : Others	Grade, Min. Grade, Min.	3	4 · 5 ·
5.	Dimensional stability at 20°C	(L)%, Max (T)%, Max.	0.55 1.025	0.40 0.85
6.	Dimensional stability at elevated temperature	(L)%, Max. (T)%, Max.	0.375 0.625	0.25 0.50
7.	Resistance to impact by small diamater ball	N, Min.	20	30
8.	Resistance to scratching	N, Min.	2	2.5
9.	Resistance to staining : a. Group 1 & 2 b. Group 3 & 4	Grade, Min. Grade, Min.	5 4	5 5
10.	Resistance to cigarette burns	Grade, Min.	3	4
11.	Resistance to cracking	Grade, Min.	4	5
12.	Resistance to steam	Grade, Min.	4	5
13.	Resistance to colour change in : a. Xenon arc light b. Enclosed carbon arc light	Grade, Min. Grade, Min.	6 5	6 5

CERTIFICATION

















SWV 9812 Black Oak



SWV 9314 Teak Raffinato



SWV 9760 Valda Elm



SWV 9814 Rustic Oak



SWV 9004 Dark Brown Ash



SWV 9028 Pure Ash



SWV 9797 Batavia Elm



SWV 9756 Tivoli Elm



SWV 9248 Urban Teak



SWV 9729 Creame Elm



SWV 9921 Golden Oak



SWV 9124 Java Teak



SWV 9667 Rich Walnut



SWV 9127 Classic Teak



SWV 9846 Vintage Oak



SWV 9804 Rovana Oak



SWV 9518 Refresh Oak



SWV 9757 Hoffman Elm



SWV 9608 American Walnut



SWV 9730 Soft Brown Elm



SWV 9910 Exotic Oak





SWV 9880 Antique Oak



SWV 9114 Teak Allover



SWV 9657 Walnut Ambasador



SWV 9312 Thai Teak



SWV 9602 Caya Wood



SWV 9202 Natural Teak



SWV 9591 Crossing Oak



SWV 9754 Swiss Elm



SWV 9506 Nevada Oak



SWV 9505 Riva Oak



SWV 9579 Pure Oak



SWV 9624 Vanila Walnut



SWV 9750 Elmo



SWV 9551 White Oak

WOODGRAIN TEXTURE



SWB 9618 Straight Walnut



SWB 9617 Natural Walnut





SWB 9643 Walnut Rigato



SWN 9035 Valencia Ash



SWB 9146 Jamaica Teak



SWN 9212 Santhia Teak



SWQ 9001 Natural Ash

WOODGRAIN TEXTURE



SWB 9214 Elegant Teak



SWQ 9552 Maribo Oak



SWQ 9025 Honey Ash



SWQ 9024 American Ash



SWN 9217 Modern Teak



SWB 9516 Viola Oak



SWQ 9013 White Ash





SWS 9025 Honey Ash



SWS 9024 American Ash



SWS 9516 Viola Oak



SWS 9217 Modern Teak



SWS 9013 White Ash



SWS 9035 Valencia Ash



SWS 9757 Hoffman Elm





SWS 9625 Clifton Walnut



SWS 9253 Oldie Teak



SWS 9504 Trusted Oak



SWS 9515 Bavarian Oak



SWS 9212 Shantia Teak



SWS 9001 Natural Ash



SWS 9582 Fineline Oak



SWS 9524 Legno Oak



SWS 9004 Dark Brown Ash



SWS 9730 Soft Brown Elm



SWS 9657 Walnut Ambasador



SWS 9729 Creame Elm



SWS 9624 Vanila Walnut



SWS 9252 White Teak



SWS 9551 White Oak



SWS 9579 Pure Oak

FABRIC





SFM 8847 Earthen Fabricano



SFM 8803 Grey Fabricano



SFM 8898 Clear Fabricano

STEELLAM | FABRIC

CONCRETE





SCM 8618 Grey Concrete



SCM 8617 Expose Concrete



SCM 8616 Urban Concrete



STONE



SMG 8017 Black Travertin



SMG 8025 Cocoa Travertin



SMG 8176 Brown Onyx



SMG 8175 Grey Onyx



SMG 8181 Pearl Grey Marble



SMG 8185 Luxury Marble





SWG 9486 Dark Ebony Gloss



SWG 9499 Tropical Teak Gloss



SOLID COLOR



SSS 8401 Black



SSS 8113 Frosty White



SSS 8111 Designer White



STEELLAM | SOLID COLOR

SOLID COLOR





STEELLAM | SOLID COLOR 21

CARE AND MAINTENACE

Your decision to select SteelLam Laminate will bring you years of quality performance. Everyday cleaning of our products is as simple as a quick wipe with a damp sponge. All resist muddy fingerprints, coffee spills and so much more.

Please read and follow the recommended care and cleaning procedures :

ROUTINE CARE

- To clean the surface, use a damp cloth or sponge and a mild soap or detergent. Rinse thoroughly with warm water and wipe dry.
- Difficult stains such as coffee or tea can be removed using a mild household cleaner and a soft bristled brush, repeating as necessary.
- If a stain persists, use a paste of baking soda and water and apply with a soft bristled brush. Light scrubbing for 10 to 20 strokes should remove most stains. Although baking soda is a low abrasive, excessive scrubbing or exerting too much force could damage the decorative surface, especially if it has a gloss finish.
- Stubborn stains thet resist any of the above cleaning methods may require the use of undiluted household bleach or nail polish remover. Apply the bleach or nail polish remover to the stain and let stand no longer than two minutes. Rinse thoroughly with warm water and wipe dry. This step may be repeated if the stain appears to be going away and the color of the laminate has not been affected. WARNING: Prolonged exposure of the laminate surface to bleach will cause discoloration.
- Hot pans and heat-producing appliances (such as electric skillets), when set directly upon countertops, can damage the product's beauty. Always use a heat shield, hot pad or trivet.

CAUTION PLEASE!

- · Acidic or abrasive cleaners can damage laminate surfaces; do not use them.
- Drain cleaners containing lye will permanently damage any SteelLam Laminate surface. If you spill a drain cleaner, wipe it up immediately and rinse several times with water.
- Hair, textile and food dyes can cause permanent stains. If dye should happen to spill, wipe it up immediately with dishwashing detergent or an all-purpose cleaner.
- Never place pots or dishes directly from the oven or burner on an unprotected laminate surface; such extreme
 heat can cause cracking or blistering.
- Do not work with oven cleaners on an unprotected countertop. Wipe spills away promptly and rinse several times with water.
- Rust removers contain harsh chemicals which will quickly cause permanent damage. If a spill occurs, wipe off all
 residue immediately, was thoroughly with soapy water and rinse several times.
- Steel wool and other abrasive pads will damage Steellam Laminate. Don't use them for cleaning and don't store steel woll pads on your countertop, the metal can rust and leave stains.
- Toilet cleaners contain harsh chemicals that can cause permanent damage. If spills occur, wipe it immediately, wash surface with soapy water and rise several times.